




Kit 1400


MITSUBISHI Challenger, 4-dr Double Cab, 11–
MITSUBISHI Challenger, 5-dr SUV, 11–
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10–
MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10–



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



THULE[®]
 SWEDEN

ISO 11154-E

754 Rapid System
 480R Rapid Traverse (North America)

754 Rapid System
 480R Rapid Traverse (North America)

480 Traverse (North America)

(North America)


x2
 x2
 x2
 x4
 x4
 x1
 17 mm
 x2
 23 mm
 x2
 x2
 x2
 x2

x2
 x2
 x2

733 x2
 660 x2
 178 x2
 180 x2

RR
 FL
 FR
 RL
 x1



1





2





754 Rapid System
480R Rapid Traverse
(North America)



x4





x4



x4




480 Traverse
(North America)





x4

3




754 Rapid System



X

X

MITSUBISHI Challenger, 4-dr Double Cab, 11–	40
MITSUBISHI Challenger, 5-dr SUV, 11–	40
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10–	40
MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10–	40



Y

Y

MITSUBISHI Challenger, 4-dr Double Cab, 11–	34,5
MITSUBISHI Challenger, 5-dr SUV, 11–	34,5
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10–	34,5
MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10–	34,5

3




480R Rapid Traverse



480 Traverse



(North America)




X inch/mm

X inch

X mm

MITSUBISHI Challenger, 4-dr Double Cab, 11–	41 $\frac{3}{8}$ "	1051 mm
MITSUBISHI Challenger, 5-dr SUV, 11–	41 $\frac{3}{8}$ "	1051 mm
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10–	41 $\frac{3}{8}$ "	1051 mm
MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10–	41 $\frac{3}{8}$ "	1051 mm




Y inch/mm

Y inch

Y mm



MITSUBISHI Challenger, 4-dr Double Cab, 11–	39 $\frac{1}{4}$ "	996 mm
MITSUBISHI Challenger, 5-dr SUV, 11–	39 $\frac{1}{4}$ "	996 mm
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10–	39 $\frac{1}{4}$ "	996 mm
MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10–	39 $\frac{1}{4}$ "	996 mm

4




5


MITSUBISHI Challenger, 4-dr Double Cab, 11–
MITSUBISHI Challenger, 5-dr SUV, 11–
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10–
MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10–




6





i



A



B









X mm

Y mm


X inch

Y inch

mitsubishi Challenger , 4-dr Double Cab, 11–	350 mm	800 mm	13 3/4"	31 1/2"
mitsubishi Challenger , 5-dr SUV, 11–	350 mm	800 mm	13 3/4"	31 1/2"
mitsubishi L200 , 4-dr Double Cab, 05-09, 10–	350 mm	800 mm	13 3/4"	31 1/2"
mitsubishi Triton , 4-dr Double Cab, 05-09, 10–	350 mm	800 mm	13 3/4"	31 1/2"



7



GB/US	Tighten alternately
D	Die Schrauben abwechselnd anziehen
F	Serrer alternativement chaque côté
NL	Afwisselend aan de linker- en de rechterkant aandraaien
I	Alternare il serraggio delle viti
E	Apretar alternativamente
PT	Aperte alternadamente
S	Dra åt växelvis
FIN	Kierrä vuorotellen
EST	Pinguldage vaheldumisi
LAT	Pielvelciet pamišus
LIT	Užsukinėkite pakaitomis
PL	Śruby dokręcaj naprzemiennie
RU	Затягивайте попеременно





CZ	Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.
SK	Dofahujte striedavo
SLO	Privijajte izmenično.
HR	Naizmjenočno zategnite
HU	Egyarástól fűggetlenül szorítandó
GR	Σφιγγετε εναλλάξ
TR	Dönüşümlü sıkın

中文 交替拧紧



한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。


ไทย ชันในแบบสลับ





≈ 3 Nm



8

x1
17 mm



THULE
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)



596 (x6)



588 (x8)


NA **510** (x10)

EUR **452** (x12)

ASIA













MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10-	350 mm	800 mm	13 3/4"	31 1/2"
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10-	350 mm	800 mm	13 3/4"	31 1/2"
MITSUBISHI Challenger, 5-dr SUV, 11-	350 mm	800 mm	13 3/4"	31 1/2"
MITSUBISHI Challenger, 4-dr Double Cab, 11-	350 mm	800 mm	13 3/4"	31 1/2"



X mm Y mm X inch Y inch







MITSUBISHI Challenger, 4-dr Double Cab, 11-
 MITSUBISHI Challenger, 5-dr SUV, 11-
 MITSUBISHI L200, 4-dr Double Cab, 05-09, 10-
 MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10-







x1




x4



x4


480R/754




Kit XXXX



THULE





km/h
0
25 km/h
40 km/h
60 km/h
80 km/h
100 km/h
120 km/h

Max. 50 kg


Max. 110 lbs

15,4 lbs

7 kg

xx kg


xx lbs



x2 16mm



x2 25mm



x2



x2




x2



x4




x4




x1 5mm







x2 733



x2 660



x2 178



x2 180




x1

instructions

Kit 1400

MITSUBISHI Challenger, 4-dr Double Cab, 11-
MITSUBISHI Challenger, 5-dr SUV, 11-
MITSUBISHI L200, 4-dr Double Cab, 05-09, 10-
MITSUBISHI Triton, 4-dr Double Cab, 05-09, 10-



480R
754



ISO 11154-E

PROFESSIONAL

THULE
SWEDEN®