

Kit 1420

CHEVROLET Aveo, 4-dr Sedan, 06-11 / *04-06, 07-11

CHEVROLET Lova, 4-dr Sedan, 06-11

DAEWOO Gentra, 4-dr Sedan, 06-11


DAEWOO Kalos, 4-dr Sedan, 06-11

HOLDEN Barina, 4-dr Sedan, 06-11



PONTIAC G3, 4-dr Sedan, 06-11 / *07-09

PONTIAC Wave, 4-dr Sedan, 06-11 / *04-06, 07-11


*North America



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



THULE[®]
SWEDEN

ISO 11154-E

754 Rapid System **x1**






480R Rapid Traverse (North America) **x1**

754 Rapid System **x4**


480R Rapid Traverse (North America) **x4**

754 Rapid System **x4**

480R Rapid Traverse (North America) **x4**

				(North America)	
					
	x2		x2 23 mm		x1 17 mm
			x2		x2 23 mm
			x4		x2
			x4		x4
					x2 23 mm
					x2
					x2



1






2






754 Rapid System
480R Rapid Traverse
(North America)



x4





x4






x4



480 Traverse
(North America)



x4

3

754 Rapid System

X

Y
X

CHEVROLET Aveo , 4-dr Sedan, 06-11 / *04-06, 07-11	28
CHEVROLET Lova , 4-dr Sedan, 06-11	28
DAEWOO Gentra , 4-dr Sedan, 06-11	28
DAEWOO Kalos , 4-dr Sedan, 06-11	28
HOLDEN Barina , 4-dr Sedan, 06-11	28
PONTIAC G3 , 4-dr Sedan, 06-11 / *07-09	28
PONTIAC Wave , 4-dr Sedan, 06-11 / *04-06, 07-11	28



Y

CHEVROLET Aveo , 4-dr Sedan, 06-11 / *04-06, 07-11	22
CHEVROLET Lova , 4-dr Sedan, 06-11	22
DAEWOO Gentra , 4-dr Sedan, 06-11	22
DAEWOO Kalos , 4-dr Sedan, 06-11	22
HOLDEN Barina , 4-dr Sedan, 06-11	22
PONTIAC G3 , 4-dr Sedan, 06-11 / *07-09	22
PONTIAC Wave , 4-dr Sedan, 06-11 / *04-06, 07-11	22

3

480R Rapid Traverse

480 Traverse


(North America)

X inch/mm

Y inch/mm
X inch
X mm

CHEVROLET Aveo , 4-dr Sedan, 06-11 / *04-06, 07-11	36 5/8"	931 mm
CHEVROLET Lova , 4-dr Sedan, 06-11	36 5/8"	931 mm
DAEWOO Gentra , 4-dr Sedan, 06-11	36 5/8"	931 mm
DAEWOO Kalos , 4-dr Sedan, 06-11	36 5/8"	931 mm
HOLDEN Barina , 4-dr Sedan, 06-11	36 5/8"	931 mm
PONTIAC G3 , 4-dr Sedan, 06-11 / *07-09	36 5/8"	931 mm
PONTIAC Wave , 4-dr Sedan, 06-11 / *04-06, 07-11	36 5/8"	931 mm

Y inch
Y mm

CHEVROLET Aveo , 4-dr Sedan, 06-11 / *04-06, 07-11	34 1/4"	871 mm
CHEVROLET Lova , 4-dr Sedan, 06-11	34 1/4"	871 mm
DAEWOO Gentra , 4-dr Sedan, 06-11	34 1/4"	871 mm
DAEWOO Kalos , 4-dr Sedan, 06-11	34 1/4"	871 mm
HOLDEN Barina , 4-dr Sedan, 06-11	34 1/4"	871 mm
PONTIAC G3 , 4-dr Sedan, 06-11 / *07-09	34 1/4"	871 mm
PONTIAC Wave , 4-dr Sedan, 06-11 / *04-06, 07-11	34 1/4"	871 mm

4



5

CHEVROLET Aveo, 4-dr Sedan, 06-11 / *04-06, 07-11

CHEVROLET Lova, 4-dr Sedan, 06-11



DAEWOO Gentra, 4-dr Sedan, 06-11

DAEWOO Kalos, 4-dr Sedan, 06-11


HOLDEN Barina, 4-dr Sedan, 06-11

PONTIAC G3, 4-dr Sedan, 06-11 / *07-09


PONTIAC Wave, 4-dr Sedan, 06-11 / *04-06, 07-11




6





i




A




B



	X mm	Y mm	X inch	Y inch
CHEVROLET Aveo, 4-dr Sedan, 06-11 / *04-06, 07-11	250 mm	700 mm	9 ⁷ / ₈ "	27 ¹ / ₂ "
CHEVROLET Lova, 4-dr Sedan, 06-11	250 mm	700 mm	9 ⁷ / ₈ "	27 ¹ / ₂ "
DAEWOO Gentra, 4-dr Sedan, 06-11	250 mm	700 mm	9 ⁷ / ₈ "	27 ¹ / ₂ "
DAEWOO Kalos, 4-dr Sedan, 06-11	250 mm	700 mm	9 ⁷ / ₈ "	27 ¹ / ₂ "
HOLDEN Barina, 4-dr Sedan, 06-11	250 mm	700 mm	9 ⁷ / ₈ "	27 ¹ / ₂ "
PONTIAC G3, 4-dr Sedan, 06-11 / *07-09	250 mm	700 mm	9 ⁷ / ₈ "	27 ¹ / ₂ "
PONTIAC Wave, 4-dr Sedan, 06-11 / *04-06, 07-11	250 mm	700 mm	9 ⁷ / ₈ "	27 ¹ / ₂ "







7





GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apretar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pieļieciet pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно

CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.
SK Dofahujte striedavo
SLO Privijajte izmenično.
HR Naizmjenočno zategnite
HU Egymástól fűggetlenül szorítandó
GR Σφιγγετε εναλλάξ
TR Dönüşümlü sıkın

中文 交替拧紧
한국어 번갈아 가며 조이십시오.
日本語 交互に締め付けてください。
ไทย ชั้ในแบบสลับ





≈ 3 Nm





8



x1
17 mm





THULE
SWEDEN

**ONE
KEY
SYSTEM**

544 (x4)

596 (x6)

588 (x8)

NA 510 (x10)

EUR 452 (x12)

ASIA