







Thule Rapid System Kit 1787

> Instructions



FORD F-150, 4-dr Double Cab, 15-



ISO 11154-E

141787
C.20150320
519-1787-01

Bring your life
thule.com





x1



x1

1



	X (scale)	X (mm)	X (inch)
FORD F-150, 4-dr Double Cab, 15-	67,5	1326	52 1/4





	Y (scale)	Y (mm)	Y (inch)
FORD F-150, 4-dr Double Cab, 15-	67	1321	52

2



FORD F-150, 4-dr Double Cab, 15-







3




	W (mm)	Z (mm)	W (inch)	Z (inch)
FORD F-150, 4-dr Double Cab, 15-	250	735	9 ⁷/₈	29








7





EN Tighten alternately
DE Die Schrauben abwechselnd anziehen
FR Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de
IT Alternare il serraggio delle viti
ES Apretar alternativamente
PT Aperte alternadamente
SV Dra åt växelvis
DK Spænd skiftevis
NO Trek til vekselvis
FI Kierra vuorotellen
ET Pinguldage vaheldumisi
LV Pieveiciet pamīšus
LT Užsukinkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно



UK Зати́гати пооче́ргово
BG Затегнете поочередно
CS Pokrétla bagazníka dokręcaj.
SK Dotiahnite stredavo.
SL Privijajte izmenično
HR/BIH Naizmjenično zategnite
RO Strângereți alternativ
HU Egyarástól fűggetlenül szorítandó
EL Σφιγνείτε εναλλάξ
TR Dönüşümlü sıkın
AR انكمش الزمان بالتناوب
HE פזנו'ג פזן
ZH 交替拧紧
JA 左右交互に締めつけてください
KO 좌우교호로 조이기
TH หมุนสลับกัน





FORD F-150, 4-dr Double Cab, 15-



X mm 250
Y mm 735
X inch $9\frac{7}{8}$
Y inch 29











FORD F-150, 4-dr Double Cab, 15-








instructions

Kit 1787

FORD F-150, 4-dr Double Cab, 15-

480R
754



ISO 11154-E

PROFESSIONAL

THULE
SWEDEN®